




























13400100 / 04-001	FEATURES	Ref. NO.
	A-Circuit (Metal Can) Voltage Set Point 28.10V Slip Ring OD: 28mm	OEM NO 1197311304 1197311301 93158721 117253 362645 1606935 1625880 0192053011 1197311300 TRANSPO IB363 IB362 MOBILETRON VR-B209 VR-B203 LESTER 12134 12135 12167 12293 12294 12374 12031 12149 12157 12167 12217 12218 CARGO 135856
13400200 / 04-002	FEATURES	Ref. NO.
	A-Circuit (Metal Can) Voltage Set Point 28.50V Field Shorted Circuit Protection	OEM NO JFB271-5000-UP
13400500 / 04-006	FEATURES	Ref. NO.
	A-Circuit (Metal Can) Voltage Set Point 28.50V Slip Ring OD: 28mm	OEM NO 1197311315 0192053003 0192053009 0192053012 0192053014 0192053025 0190457001 TRANSPO IB381 IB382 MOBILETRON VR-B206 LESTER 12376 12592 12593 12606 12607 12608 12609 12610 12611 CARGO 131340
13400700 / 04-008	FEATURES	Ref. NO.
	A-Circuit (Metal Can) Voltage Set Point 14.60V With 180 Ohm Resistor Slip Ring OD: 14mm	OEM NO 1197311211 1197311213 1197311217 1197311219 1197311242 1197311541 TRANSPO IB387 35-9109 MOBILETRON VR-B201 LESTER 12383 12676 12677 13356 13359 13376 13422 13520 13610 13613 13631 13710 CARGO 134761 230259
13400900 / 04-010	FEATURES	Ref. NO.
	A-Circuit (Metal Can) Voltage Set Point 28.10V	






13110100 / 04-011	FEATURES	Ref. NO.
 Diagram labels: E, P, B+, F, E	B-Circuit Voltage Set Point 28.50V Soft Start 30% LRC 5 sec Field Shorted Circuit Protection IG Open Indication Under Voltage Indication Over Voltage Indication L Terminal Drives Choke DFM function	
13420300 / 04-014	FEATURES	Ref. NO.
 Diagram labels: L DFM, E, P, 上B+, 下F	A-Circuit Voltage Set Point 14.60V Soft Start 30% LRC 5 sec Field Shorted Circuit Protection Under Voltage Indication Over Voltage Indication L Terminal Drives Choke DFM function	OEM NO F00M145371 F00M145283 F00M145228 12790483 TRANSPO IB283 MOBILETRON VR-B371 LESTER 23106 CARGO 231716
13420400 / 04-015	FEATURES	Ref. NO.
 Diagram labels: L DFM, E, P, 上B+, 下F	A-Circuit Voltage Set Point 14.60V Soft Start 30% LRC 5 sec Field Shorted Circuit Protection Under Voltage Indication Over Voltage Indication L Terminal Drives Choke DFM function	OEM NO F00M145239 F00M145204 F00M145387 CA1470IR TRANSPO IB239 MOBILETRON VR-B251 LESTER 21504 23751 CARGO 230624
13410200 / 04-018	FEATURES	Ref. NO.
 Diagram labels: E, 上F, 下A	A-Circuit (Metal Can) Voltage Set Point 28.50V	TRANSPO IB362 MOBILETRON VR-B203 CARGO 132903 136464 333263
13420500 / 04-020	FEATURES	Ref. NO.
 Diagram labels: L DFM S, E, B+, F, P	A-Circuit Voltage Set Point 14.60V Soft Start 30% LRC 5 sec Field Shorted Circuit Protection Under Voltage Indication Over Voltage Indication L Terminal Drives Choke DFM function	OEM NO F00M145235 CA1636IR TRANSPO IB235 IB255 MOBILETRON VR-B262 LESTER 23084 CARGO 233508





13420600 / 04-022	FEATURES	Ref. NO.
	A-Circuit Voltage Set Point 14.60V Soft Start 30% LRC 5 sec Field Shorted Circuit Protection Under Voltage Indication Over Voltage Indication L Terminal Drives Choke DFM function	OEM NO F00M145225 F00M145200 F00M145209 F00M145223 F00M145233 F00M145333 F00M145350 F00M145353 0031542406 5001850026 CA1378IR TRANSPO IB225 MOBILETRON VR-B254 CARGO 139925
13420700 / 04-0221	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 14.60V LRC 5 sec Field Shorted Circuit Protection Under Voltage Indication Over Voltage Indication L Terminal Drives Choke DFM function Self Exciting Function	OEM NO F00M 144136 F00M 144154 F00M 144175 F00M 145225 F00M 145200 F00M 145209 F00M 145223 F00M 145233 F00M 145333 F00M 145350 F00M 145353 F00M 145261 F00M 145296 F00M 145315 F00M 145341 F00M 145396 F00M 145397 F00M 145862 F00M 145876 F00M1458 CA1378IR IB5225 TRANSPO VR-B254 MOBILETRON 11041 11042 11064 11065 11130 11131 LESTER 11133 11134 11210 11254 11360 11361 11388 11460 12445 13810 13849 13850 13851 13852 13853 13884 13904 13922 14001 20014 20024 21475 21476 21477 21479 21480 21490 22710 22820 22821 130637 CARGO
13420800 / 04-024	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 14.60V Soft Start 30% LRC 5 sec Field Shorted Circuit Protection Under Voltage Indication Over Voltage Indication L Terminal Drives Choke DFM function	OEM NO F00M145201 F00M145231 F00M145257 F00M145282 F00M145362 F00M145370 0031541506 0031545606 IB231 TRANSPO VR-B252 MOBILETRON 13943 21404 21464 21515 LESTER 21948 21950 21951 21952 22677 23025 23026 23027 23295 23296 23334 23824 CARGO 139044
13460100 / 04-025	FEATURES	Ref. NO.
	A-Circuit Voltage Set Point 14.50V Soft Start 32% LRC 5 sec Field Shorted Circuit Protection IG Open Indication Under Voltage Indication Over Voltage Indication L Terminal Drives Choke DFM function	OEM NO BOSCH:1197311506 1197311516 1197311536 1197311545 1197311557 1197311547 IB545 TRANSPO VR-B238 MOBILETRON 13356 13729 13734 13761 LESTER 13774 13830 13838 13897 22842 CARGO 138999
13420900 / 04-026	FEATURES	Ref. NO.
	A-Circuit Voltage Set Point 14.60V Soft Start 30% LRC 5 sec Field Shorted Circuit Protection Under Voltage Indication Over Voltage Indication L Terminal Drives Choke DFM function	OEM NO F00M 145229 F00M 145208 F00M 145351 TRANSPO IB229 MOBILETRON VR-B221 VR-B369 LESTER 13802 13997 CARGO 232927





13460200 / 04-027	FEATURES	Ref. NO.
 W L I G C N C E E F	B-Circuit Voltage Set Point 28.50V Soft Start 30% Field Shorted Circuit Protection IG Open Indication Under Voltage Indication Over Voltage Indication	OEM NO BOSCH: 197311558 1197311554 0272220217 TRANSPO IB558 LESTER 23512 23513 MOBILETRON VR-B558B CARGO 234522
13421000 / 04-028	FEATURES	Ref. NO.
 DFM L E F B+ P	A-Circuit Voltage Set Point 14.60V Soft Start 30% LRC 5 sec Field Shorted Circuit Protection Under Voltage Indication Over Voltage Indication L Terminal Drives Choke	OEM NO F00M225201 F00M225401 F00M225200 01229AA0X0 TRANSPO IB201 MOBILETRON VR-B257 LESTER 13975 22952 CARGO 235528
13410400 / 04-029	FEATURES	Ref. NO.
 E 上F 下A	A-Circuit (Metal Can) Voltage Set Point 14.50V	
13401400 / 04-031	FEATURES	Ref. NO.
 E 上A 下F	A-Circuit (Metal Can) Voltage Set Point 14.60V Slip Ring OD: 14mm	OEM NO 1197311212 1197311214 1197311220 1197311221 1197311223 1197311224 TRANSPO IB385 35-9108 MOBILETRON VR-B200H LESTER 11135 12494 12675 13357 13380 13381 13382 13441 13465 13471 13526 13605 CARGO 131905
13401500 / 04-032	FEATURES	Ref. NO.
 E F A	A-Circuit (Metal Can) Voltage Set Point 14.60V	OEM NO LADA: VAZ 2110





13410600 / 04-034	FEATURES	Ref. NO.
	A-Circuit (Helmet Steel) Voltage Set Point 14.50V Slip Ring OD: 32mm	OEM NO BOSCH:1197311000 1197311001 1197311002 1197311090 2197311090 TRANSPON IB350 IB348 LESTER 12029 12030 12146 12216 12225 12442 12685 12818 12819 13054 13055 13056 CARGO 130676 333253
13421100 / 04-035	FEATURES	Ref. NO.
	A-Circuit Voltage Set Point 14.60V Soft Start 30% LRC 5 sec Field Shorted Circuit Protection IG Open Indication Under Voltage Indication Over Voltage Indication	OEM NO F00M 255200 F00M 255201 F00M 255202 TRANSPON IB200 MOBILETRON VR-B394 LESTER 11074 13815 CARGO 235460
13410700 / 04-039	FEATURES	Ref. NO.
	A-Circuit Voltage Set Point 14.30V	
13421200 / 04-042	FEATURES	Ref. NO.
	A-Circuit Voltage Set Point 14.60V Soft Start 30% LRC 5 sec Field Shorted Circuit Protection L Terminal Drives Choke Under Voltage Indication Over Voltage Indication	OEM NO F00M145220 TRANSPON IB220 MOBILETRON VR-B256 LESTER 22874 22898 23083 23125 23126 CARGO 230249 235548
13460300 / 04-043	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 28.50V Soft Start 30% Field Shorted Circuit Protection IG/Sense Open Indication Under Voltage Indication Over Voltage Indication	OEM NO BOSCH: 1197311543 TRANSPON IB543 MOBILETRON VR-B543B LESTER 12590 23518 CARGO 234112





13421400 / 04-045	FEATURES	Ref. NO.
	A-Circuit Voltage Set Point 14.60V Soft Start 30% LRC 5 sec Field Shorted Circuit Protection Under Voltage Indication Over Voltage Indication L Terminal Drives Choke DFM Function	OEM NO F00M145251 F00M145245 F00M145360 TRANSPO MOBILETRON IB251 LESTER VR-B360 LESTER 13882 CARGO 235549
13421500 / 04-051	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 28.50V Soft Start 18% S Open Indication IG Open Indication Field Shorted Circuit Protection L Terminal Drives Choke Under Voltage Indication Over Voltage Indication	
13421600 / 04-053	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 14.50V Soft Start 12.5% Field Shorted Circuit Protection Under Voltage Indication Over Voltage Indication L Terminal Drives Choke DFM Function Self Exciting Function	OEM NO F00M 145252 F00M 145243 F00M 145270 F00M 145674 TRANSPO MOBILETRON IB252 MOBILETRON VR-B263 LESTER 21790 21791 23035 CARGO 232193
13402300 / 04-054	FEATURES	Ref. NO.
	A-Circuit (Metal Can) Voltage Set Point 14.60V Without 180 Ohm Resister Slip Ring OD: 14mm	OEM NO 1197311500 1197311 523 1197311530 1197311 531 1197311548 TRANSPO MOBILETRON IB388 MOBILETRON VR-B222 LESTER 13622 21224 21390 21391 21392 21795 22785 23747 CARGO 137117
13402400 / 04-055	FEATURES	Ref. NO.
	A-Circuit (Metal Can) Voltage Set Point 14.60V Slip Ring OD: 32mm	OEM NO 1197311032 1197311 033 1197311045 1197311 046 2197311032 9191067 041 F005A10107 TRANSPO MOBILETRON IB368 MOBILETRON VR-B260 LESTER 12145 12151 12159 12161 12168 12169 12373 13195 13199 14394 20976 23672 23712 CARGO 132666






13402500 / 04-056	FEATURES	Ref. NO.
	A-Circuit (Metal Can) Voltage Set Point 28.10V Slip Ring OD: 32mm	OEM NO 1197311310 1197311 313 1197311314 2197311 310 TRANSPO IB369 MOBILETRON VR-B203 VR-B260B LESTER 12148 12219 12295 12587
13402600 / 04-057	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 14.50V Soft Start 30% LRC 5 sec Field Lamp Choke Shorted Circuit Protection Under Voltage Indication Over Voltage Indication	OEM NO LADA: TRT3-01
13402700 / 04-058	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 14.50V Soft Start 18% LRC 10 sec Field Lamp Choke Shorted Circuit Protection Under Voltage Indication Over Voltage Indication L Terminal Drives Choke DFM Function	OEM NO LADA: TRT5-01
13410800 / 04-059	FEATURES	Ref. NO.
	A-Circuit (Metal Can) Voltage Set Point 14.50V	OEM NO BOSCH:1197311211 1197311213 1197311217 1197311219 1197311242 1197311541 TRANSPO IB387 35-9109 MOBILETRON VR-B201 LESTER 12383 12676 12677 13356 13359 13376 13422 13520 13610 CARGO 134761 230259
13411000 / 04-062	FEATURES	Ref. NO.
	A-Circuit (Helmet Steel) Voltage Set Point 14.60V	OEM NO BOSCH:1197311212 1197311214 1197311220 1197311221 1197311223 1197311224 TRANSPO IB385 35-9108 MOBILETRON VR-B200H LESTER 11135 12494 12675 13357 13380 13381 13382 13441 13465 CARGO 134687





13402800 / 04-063	FEATURES	Ref. NO.
	A-Circuit (Metal Can) Voltage Set Point 14.60V With 180 Ohm Resister Slip Ring OD: 14mm	OEM NO 1197311529 CA1089IR TRANSPO IB529 LESTER 22580 CARGO 137117
13403200 / 04-067	FEATURES	Ref. NO.
	A-Circuit (Helmet Steel) Voltage Set Point 14.60V Low Cut-in Speed Slip Ring OD: 32mm	OEM NO 11-125-165 16-906-481 TRANSPO IK402 MOBILETRON VR-IK01 CARGO 231044
13421800 / 04-069	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 14.50V Soft Start 12.5% LRC 5 sec Lamp Shorted Circuit Protection Field Shorted Circuit Protection Under/Over Voltage Indication L Terminal Drives Choke DFM Function Self Exciting Function	OEM NO F00M 145286 F00M 145394 TRANSPO IB286 MOBILETRON VR-B270 LESTER 23228 23302 CARGO 234770
13421900 / 04-071	FEATURES	Ref. NO.
	A-Circuit Voltage Set Point 14.50V Soft Start 32% LRC 5 sec Field Shorted Circuit Protection Sense IG Open Indication Under Voltage Indication Over Voltage Indication L Terminal Drives Choke DFM Function	OEM NO F00M 145873 F00M 145236 F00M 145305 F00M 145324 F00M 145376 F00M 145865 TRANSPO IB236 MOBILETRON VR-B243 LESTER 11129 11689 22514 22517 22518 23189 CARGO 233587
13411100 / 04-072	FEATURES	Ref. NO.
	A-Circuit Voltage Set Point 14.30V	OEM NO BOSCH:192052033 0192053032 1197311029 1197311030 1197311031 1197311034 TRANSPO IB360 35-9117 MOBILETRON VR-B195M LESTER 12160 12162 12164 12220 12226 13192 13198 13199 13207 13625 14390 14391 14491 14970 14972 20153 21108 21110 22704 23588 23630 CARGO 132666






13450100 / 04-078	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 14.50V Soft Start 12.5% Field Shorted Circuit Protection Self Exciting Function Under Voltage Indication Over Voltage Indication	OEM NO F00M346026 F00M346010 F00M346015 F00M346087 CA1922IR TRANSPO IB6026 MOBILETRON VR-B026 LESTER 23925 23977 23978 CARGO 330331
13403600 / 04-080	FEATURES	Ref. NO.
	A-Circuit (Metal Can) Voltage Set Point 14.60V Slip Ring OD: 32mm	OEM NO 1197311000 1197311001 1197311002 1197311090 2197311090 TRANSPO IB350 MOBILETRON VR-B193M LESTER 12029 12030 12146 12216 12225 12442 12685 12818 12819 13054 13055 13056 CARGO 133095
13422000 / 04-082	FEATURES	Ref. NO.
	A-Circuit Voltage Set Point 14.50V Soft Start 30% LRC 5 sec Field Shorted Circuit Protection Under/Over Voltage Indication DFM Function Self Exciting Function	OEM NO F00M145249 F00M145260 F00M145325 F00M145363 F00MA45231 F00M144140 TRANSPO IB260 MOBILETRON VR-B252 VR-B363 LESTER 12383 12490 12491 12716 12881 22879 23021
13411300 / 04-083	FEATURES	Ref. NO.
	A-Circuit Voltage Set Point 14.30V Slip Ring OD: 32mm	OEM NO BOSCH: 9190087003 9120803033 TRANSPO IB359 35-9127 MOBILETRON VR-B211 LESTER 13080
13403800 / 04-084	FEATURES	Ref. NO.
	A-Circuit (Metal Can) Voltage Set Point 14.50V Slip Ring OD: 28mm	OEM NO 1192052015 1192052016 1192052020 1192052021 1192052024 1192052025 IB352 35-9104 TRANSPO VR-B195M MOBILETRON LESTER 12048 12150 12699 13055 13094 13101 13107 13112 13113 13122 13147 13150






13411400 / 04-0851	FEATURES	Ref. NO.
	A-Circuit Voltage Set Point 14.30V Slip Ring OD: 28mm	OEM NO BOSCH: 9121808303 9121080303 TRANSPON LESTER IB003 13080 20093
13422100 / 04-086	FEATURES	Ref. NO.
	A-Circuit Voltage Set Point 14.60V Soft Start 30% LRC 5 sec Field Shorted Circuit Protection Under Voltage Indication Over Voltage Indication L Terminal Drives Choke DFM function	OEM NO F00M 145247 F00M 145357 F00M 144138 F00M 144146 F00M 145331 F00M 145382 TRANSPON MOBILETRON LESTER CARGO IB247 VR-B247 11068 11132 11332 11333 13953 235207
13411600 / 04-087	FEATURES	Ref. NO.
	A-Circuit Voltage Set Point 14.30V	OEM NO BOSCH: 0192052001 0192052002 0192052004 TRANSPON MOBILETRON LESTER IB358 VR-B192 12029 12685 13018 13054 13055 13056 13061 13094 13101
13411700 / 04-088	FEATURES	Ref. NO.
	A-Circuit (Helmet Steel) Voltage Set Point 28.75V Slip Ring OD: 32mm	OEM NO BOSCH: 9190087032 190087026 MOBILETRON VR-B103
13450200 / 04-089	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 14.50V Soft Start 12.5% Field Shorted Circuit Protection Self Exciting Function Under Voltage Indication Over Voltage Indication	OEM NO F00M346340 F00M346011 F00M346030 F00M346102 TRANSPON CARGO LESTER IB6011 333277 24077






13417200 / 04-092	FEATURES	Ref. NO.
 Labels: E, 上A, 下F	A-Circuit Voltage Set Point 14.50V	OEM NO 138841 CARGO 234480
13411800 / 04-095	FEATURES	Ref. NO.
 Labels: E, A, F	A-Circuit Voltage Set Point 14.50V Soft Start 30% Field Shorted Circuit Protection Under Voltage Indication Over Voltage Indication Self start function	OEM NO BOSCH: 9190087018 0192053006 0192053005 0192053011 0192053 013 0192053016 0192053 017 0192053018 0192053 022 0192053023 1197311 306 9190087014 TRANSPO IB374 MOBILETRON VR-B198 LESTER 12134 12135 12148 12294 12443 12586 12695 20228 20927 20975 20978 21822 21823 21825 22824 23499
13404200 / 04-096	FEATURES	Ref. NO.
 Labels: E, F, A	A-Circuit (Metal Can) Voltage Set Point 14.60V	OEM NO 11125204 11125165 TRANSPO IK403 MOBILETRON VR-IK02
13412000 / 04-099	FEATURES	Ref. NO.
 Labels: E, 上A, 下F	A-Circuit Voltage Set Point 28.20V	OEM NO BOSCH: 9190457002 9120450041 TRANSPO IB400 MOBILETRON VR-B218
13422200 / 04-100	FEATURES	Ref. NO.
 Labels: DFM L, E, 上F, P, 下F, B+	B-Circuit Voltage Set Point 14.50V Soft Start 30% Field Shorted Circuit Protection Under Voltage Indication Over Voltage Indication L Terminal Drives Choke DFM function	OEM NO F00M144109






13412200 / 04-103	FEATURES	Ref. NO.
	A-Circuit Voltage Set Point 14.40V Soft Start 30% LRC 5 sec Field Shorted Circuit Protection Under/Over Voltage Indication	OEM NO BOSCH: 9190041002 TRANSPO IB501 MOBILETRON VR-B250 LESTER 13335
13422300 / 04-104	FEATURES	Ref. NO.
	A-Circuit Voltage Set Point 28.20V Soft Start 30% Field Shorted Circuit Protection Under Voltage Indication Over Voltage Indication DFM function	OEM NO F00M 144178 TRANSPO IB125
13422400 / 04-106	FEATURES	Ref. NO.
	A-Circuit Voltage Set Point 14.30V Soft Start 20% LRC 3 sec Self Exciting Function BSS Regulator	OEM NO F00M144147 F00M145272 F00M145293 F00M145367 F00M145385 TRANSPO IB293 MOBILETRON VR-B385 LESTER 13954 23248 23285 23964 CARGO 237270
13422500 / 04-107	FEATURES	Ref. NO.
	A-Circuit Voltage Set Point 14.30V Soft Start 20% LRC 3 sec Self Exciting Function BSS Regulator	OEM NO F00M A45221 F00M 145880 F00M 145312 F00M 145655 TRANSPO IB262 MOBILETRON VR-B880 LESTER 23254 23375 CARGO 236455
13404400 / 04-109	FEATURES	Ref. NO.
	A-Circuit (Metal Can) Voltage Set Point 28.50V	OEM NO 11125209




13412300 / 04-110	FEATURES	Ref. NO.
	A-Circuit Voltage Set Point 14.10V	OEM NO BOSCH: 1197311304 117253 1197311301 93158721 362645 1606935 1625880 LESTER 12134 12135 12167 12293 12294 12374 12031 12149 12157 12167 12217 12218 TRANSPO IB363 IB362 MOBILETRON VR-B209 VR-B203 CARGO 135856
13412400 / 04-112	FEATURES	Ref. NO.
	A-Circuit Voltage Set Point 14.60V	OEM NO BOSCH: 9190087039 9190087040 MOBILETRON VR-B217H
13440200 / 04-113	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 14.50V Soft Start 30% LRC 5 sec Field Shorted Circuit Protection Under/Over Voltage Indication L Terminal Drives Choke DFM Function Self Exciting Function	OEM NO 9RC7129C
13440300 / 04-114	FEATURES	Ref. NO.
	A-Circuit Voltage Set Point 14.50V Soft Start 32% LRC 5 sec Field Shorted Circuit Protection IG/Sense Open Indication Under/Over Voltage Indication L Terminal Drives Choke DFM Function	OEM NO F00M 145875 F00M 145332 F00M 145658 TRANSPO IB875 CARGO 330189
13422700 / 04-115	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 14.50V Soft Start 30% LRC 5 sec Field Shorted Circuit Protection Under Voltage Indication Over Voltage Indication L Terminal Drives Choke DFM function	OEM NO F00M144110 F00M145342 F00MA45304 MOBILETRON VR-B371 LESTER 22586 23106 23107 23129 CARGO 231716 235700 331535




13422800 / 04-116	FEATURES	Ref. NO.
 X BSS	A-Circuit Voltage Set Point 14.30V Soft Start 25% Self Exciting Function BSS_3 ID=9 BSS Regulator	OEM NO F00M 145304 F00M 144131 F00M 145321 TRANSPO IB321 MOBILETRON VR-B131 CARGO 237816
13440400 / 04-117	FEATURES	Ref. NO.
 L FR	B-Circuit Voltage Set Point 14.50V Soft Start 30% LRC 5 sec Field Shorted Circuit Protection Under/Over Voltage Indication L Terminal Drives Choke DFM Function Self Exciting Function	OEM NO 0272220701 0272220720 0272220731
13450300 / 04-118	FEATURES	Ref. NO.
 LIN X	B-Circuit Voltage Set Point 13.70V Soft Start 25% Self Exciting Function LIN Regulator ID 88 Class 11	OEM NO F00M 346056 F00M 346097 F00M 346005 F00M 346019 0121715008 TRANSPO IB6056 MOBILETRON VR-B056 LESTER 11223 11347 11568 20008 20010 20013 20620 23953 23973 23976 23979 24003 CARGO 330116
13450400 / 04-119	FEATURES	Ref. NO.
 LIN X	B-Circuit Voltage Set Point 14.00V Soft Start 25% Self Exciting Function LIN Regulator ID 48 Class 6	OEM NO BOSCH F00M 346081 F00M346020 F00M346036 F00M346048 MOBILETRON VR-B020
13450500 / 04-121	FEATURES	Ref. NO.
 L FR	B-Circuit Voltage Set Point 14.30V Soft Start 20% BSS_3 ID 7 Self Exciting Function BSS Regulator	OEM NO BOSCH: 1275105104 1907107613 0272220704



13450600 / 04-122	FEATURES	Ref. NO.
 	B-Circuit Voltage Set Point 14.00V Soft Start 25% LRC 3 sec LIN1.3 Class 7 Self Exciting Function LIN Regulator	OEM NO F00M346135 TRANSPO IB6135 MOBILETRON VR-B135 LESTER 23561
13412600 / 04-124	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 14.80V LRC 2.5 sec Field Shorted Circuit Protection Sense Open Indication Under Voltage Indication Over Voltage Indication DFM function	OEM NO BOSCH: 9191067043 9191067049 9191067059 TRANSPO IB343 MOBILETRON VR-B393 LESTER 13459 13689 CARGO 231237
13422900 / 04-125	FEATURES	Ref. NO.
 	A-Circuit Voltage Set Point 14.20V Soft Start 30% LRC 5 sec Field Shorted Circuit Protection Under Voltage Indication Over Voltage Indication L Terminal Drives Choke DFM function	OEM NO F00M 145266 F00M 144155 F00M 145365 F00M 145883 CA1701IR TRANSPO IB266 MOBILETRON VR-B883 LESTER 23269 23344 CARGO 234771
13423000 / 04-126	FEATURES	Ref. NO.
 	A-Circuit Voltage Set Point 14.50V Soft Start 30% LRC 5 sec Field Shorted Circuit Protection Under Voltage Indication Over Voltage Indication L Terminal Drives Choke DFM function	OEM NO F00M 145276 F00M 145368 TRANSPO IB276 MOBILETRON VR-B242 LESTER 23367 23368 23369 23540 23542 CARGO 236717
13440500 / 04-128	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 14.50V Soft Start 30% LRC 5 sec Field Shorted Circuit Protection L Terminal Drives Choke Under/Over Voltage Indication DFM Function Self Exciting Function	OEM NO BOSCH: 1275200003 0272220703




13423200 / 04-129	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 14.50V Soft Start 12.5% LRC5 Sec Field Shorted Circuit Protection Under/Over Voltage Indication L Terminal Drives Choke DFM Function	OEM NO F00M 144109 F00M 144160 TRANSPO IB160 LESTER 11475 11501 20007 23816 23817 23961 23962 MOBILETRON VR-B160 CARGO 332132
13404500 / 04-130	FEATURES	Ref. NO.
	A-Circuit Voltage Set Point 14.50V	OEM NO LADA: 2108-3701500
13412800 / 04-136	FEATURES	Ref. NO.
	A-Circuit Voltage Set Point 28.10V	OEM NO LADA: 2105-3701500-10
13423500 / 04-141	FEATURES	Ref. NO.
	A-Circuit Voltage Set Point 14.30V BSS_3 ID=12 Soft Start 20% LRC 3 sec Self Exciting Function BSS Regulator	OEM NO F00M 145292 F00M 144108 F00M 144132 F00M 145374 F00M 145884 TRANSPO IB6132 MOBILETRON VR-B132 CARGO 237736
13440700 / 04-142	FEATURES	Ref. NO.
	A-Circuit Voltage Set Point 14.30V Soft Start 20% LRC 3 sec Self Exciting Function BSS Regulator	OEM NO F00M 346066 TRANSPO IB6066 LESTER 11336






13450700 / 04-144	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 14.30V Soft Start 12% LRC 3 Sec Self Exciting Function LIN1 Class 11 LIN Regulator	OEM NO F00M 346074 F00M 346057 F00M 346098 F00M 346165 IB6165 TRANSP 11345 11346 11722 20035 LESTER 20251 20528 20529 22589
13450800 / 04-145	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 14.30V Soft Start 12.5% LRC 3 Sec Self Exciting Function LIN1 Class 15 LIN Regulator	OEM NO BOSCH F00M 346021 F00M 346037 F00M 346047 F00M 346080 IB6037 TRANSP VR-B021 MOBILETRON 11220 11303 11307 20036 LESTER 332016 CARGO
13430400 / 04-146	FEATURES	Ref. NO.
	B-Circuit RVC=0 V set=13.80V RC=70% V set=14.45V Soft Start 18.75% LRC 2.5 sec DFM function RVC Regulator	OEM NO F00M145314 F00M145328 F00M145696 F00M144191 IB696 TRANSP VR-B314 MOBILETRON 11075 11125 11126 LESTER 11127 11185 11234
13423600 / 04-147	FEATURES	Ref. NO.
	A-Circuit Voltage Set Point 14.30V BSS_3 ID=8 Soft Start 20% LRC 3 sec Self Exciting Function BSS Regulator	OEM NO F00M A45219 F00M 145280 F00M 145679 IB678 IB5219 TRANSP VR-B280 MOBILETRON
13413200 / 04-149	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 14.40 V Soft Start 12.5 % LRC 2.5 sec Field Shorted Circuit Protection Under Voltage Indication, Over Voltage Indication self exciting function L terminal drives choke	OEM NO BOSCH: 9190067018 IB392 35-9115 TRANSP VR-B392 MOBILETRON 12223 12224 12333 LESTER 12334 12614






13423700 / 04-150	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 28.50V Soft Start 18% LRC 5 sec Field Shorted Circuit Protection IG Open Indication Under Voltage Indication Over Voltage Indication L Terminal Drives Choke DFM function	OEM NO F00M144106 F00M144122 F00M145294 F00M145300 TRANSPO IB5300 MOBILETRON VR-B122B LESTER 20617 23883 23887 CARGO 237569
13440800 / 04-155	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 14.50V Soft Start 30% LRC 5 sec Field Shorted Circuit Protection L Terminal Drives Choke Under/Over Voltage Indication DFM Function Self Exciting Function	OEM NO 0272220706 0272220707 0272220736 TRANSPO IB736 MOBILETRON VR-B0706 CARGO 333953
13413400 / 04-157	FEATURES	Ref. NO.
	A-Circuit Voltage Set Point 14.10V	OEM NO 9190087016 9190087019 9190087023 9190087031 1197311030 1192052015 1192052016 0120339547 0120468001 TRANSPO IB378 IB352 MOBILETRON VR-B194 VR-B195M LESTER 12131 12158 12163 12299 12378 12574 12595 13119 13129 13192 13207 14391 14490 14492 22206 22824 23763
13413500 / 04-158	FEATURES	Ref. NO.
	A-Circuit Voltage Set Point 28.10V	OEM NO 9190087018 9190087014 0192053005 0192053006 0192053011 0192053016 0192053017 0192053018 0192053022 0192053023 1197311306 TRANSPO IB374 MOBILETRON VR-B198 LESTER 12134 12135 12148 12294 12443 12586 12695 20228 20927 20975 20978 21822 21823 21825 22824 23499
13441000 / 04-161	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 14.40V	OEM NO 9-190-457-002 TRANSPO IB400 MOBILETRON VR-B218 CARGO 131297






13424000 / 04-162	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 13.70V LIN1.3 code 88 Soft Start 25% LRC 3 sec Self Exciting Function LIN Regulator	OEM NO F00MA45212F00M145311 F00M145379 TRANSPON IB5379 MOBILETRON VR-B379 LESTER 11091 11363 11447 11488
13425800 / 04-164	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 28.50V Soft Start 18% Field Shorted Circuit Protection IG Open Indication Under/Over Voltage Indication L Terminal Drive Choke DFM Function	OEM NO F00M145307 F00M145256 F00M145298 F00M145302 F00M145237 F00M145299 TRANSPON IB298 MOBILETRON VR-B396 LESTER 12387 12389 12723 12801 23528 23833 23887 CARGO 231523
13425900 / 04-165	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 28.50V Soft Start 18% Field Shorted Circuit Protection IG Open Indication Under/Over Voltage Indication L Terminal Drive Choke DFM Function	OEM NO 0-124-555-005 F00M144103 F00M144105 F00M144119 F00M144121 F00M145246 F00M145297 TRANSPON IB297 MOBILETRON VR-B268 LESTER 11911 12493 12591 12594 12599 12725 12793 12812 23527 23868 23876 23877 CARGO 233117
13400510	FEATURES	Ref. NO.
	A-Circuit (Metal Can) Voltage Set Point 27.5V	OEM NO 0120689575
1340BD00	FEATURES	Ref. NO.
	A-Circuit Voltage Set Point 14.50V	OEM NO 11.204.062






1340CL00	FEATURES	Ref. NO.
	A-Circuit (Metal Can) Voltage Set Point 28.50V	OEM NO 11.204.584
13411110	FEATURES	Ref. NO.
	A-Circuit (Helmet Steel) Voltage Set Point 14.60V	TRANSPO IB360
13412310	FEATURES	Ref. NO.
	A-Circuit Voltage Set Point 28.75V	TRANSPO IB362 IB363
13412340	FEATURES	Ref. NO.
	A-Circuit Voltage Set Point 28.5V	MOBILETRON VR-B209
13417500	FEATURES	Ref. NO.
	A-Circuit Voltage Set Point 14.60V	OEM NO 11125122 11125149 11201293 TRANSPO IK543 MOBILETRON VR-IK149 LESTER 12281 14605





1341A500	FEATURES	Ref. NO.
	A-Circuit Voltage Set Point 14.30V Soft Start 30% Field Lamp Shorted Circuit Protection Under/Over Voltage Indication L Terminal Drive Choke Self Exciting Function	OEM NO 0123315008 0123315017 LESTER 21345R
1341A600	FEATURES	Ref. NO.
	A-Circuit Voltage Set Point 14.40V	OEM NO 11.203.390 5.349 TRANSPO MG563 LESTER 21536
1341A910	FEATURES	Ref. NO.
	A-Circuit Voltage Set Point 28.10V	OEM NO 11.201.943
1341AA00	FEATURES	Ref. NO.
	A-Circuit Voltage Set Point 14.40V	
1341AB00	FEATURES	Ref. NO.
	B-Circuit Voltage set Point 14.50V Soft Start 12.5% LRC 2.5 sec Field Short Circuit Protection Under/Over Voltage Indiction Self exciting function	OEM NO 11.204.635 WG1789315 556934 LESTER 14887 21094






1341AE00	FEATURES	Ref. NO.
	A-Circuit Voltage Set Point 14.60V	OEM NO 11.201.484
1341AG00	FEATURES	Ref. NO.
	A-Circuit Voltage set point 14.70V	
1341AN00	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 14.40 V Soft Start 12.5 % LRC 2.5 sec Field Shorted Circuit Protection Under Voltage Indication Over Voltage Indication self exciting function L terminal drives choke	OEM NO IA1716 11.205.324
13420120	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 28.40V Soft Start 12.5% LRC 2.5 sec Field Shorted Circuit Protection IG Open Indication S Open Indication Under Voltage Indication Over Voltage Indication L Terminal Drives Choke DFM function	OEM NO F00MA45248 TRANSP IB120
13420610	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 14.60V LRC 5 sec Field Shorted Circuit Protection Under Voltage Indication Over Voltage Indication L Terminal Drives Choke DFM function Self Exciting Function	






13421820	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 14.50V Soft Start 12.5% LRC 2.5 sec Lamp Shorted Circuit Protection Field Shorted Circuit Protection Under/Over Voltage Indication L Terminal Drives Choke DFM Function Self Exciting Function	OEM NO F00M.485.243
13422520	FEATURES	Ref. NO.
	A-Circuit Voltage Set Point 14.30V Soft Start 25% LRC 3 sec Self Exciting Function BSS_3 ID=31 BSS Regulator	OEM NO F00M145881 F00MA45222 TRANSPO IB5881 MOBILETRON VR-B657 LESTER 11077
13422530	FEATURES	Ref. NO.
	A-Circuit Voltage Set Point 14.30V Soft Start 25% Self Exciting Function BSS_3 ID=12 BSS Regulator	OEM NO F00M145289/145656/145316/ 145882/145258/F00MA45223 TRANSPO IB5289 LESTER 23249 23251 23252
13422540	FEATURES	Ref. NO.
	A-Circuit Voltage Set Point 14.30V Soft Start 25% Self Exciting Function BSS_3 ID=10 BSS Regulator	OEM NO 0124525042 CARGO 23257
13422820	FEATURES	Ref. NO.
	A-Circuit Voltage Set Point 14.30V Soft Start 25% Self Exciting Function BSS_3 ID=12 BSS Regulator	OEM NO F00M145650 F00M144194 0124225056 0124225068






13423630	FEATURES	Ref. NO.
	A-Circuit Voltage Set Point 14.30V Soft Start 20% Self Exciting Function BBS_3 ID=48 BSS Regulator	
13425600	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 28.20V Soft Start 12.5% LRC 5 sec Field Shorted Circuit Protection Under/Over Voltage Indication L Terminal Drive Choke DFM Function	
13427000	FEATURES	Ref. NO.
	A-Circuit Voltage Set Point 14.30V BSS_3 code31 Soft Start 20% LRC 3 Sec Self Exciting Function BSS Regulator	OEM NO F00M A45220 F00M145866 TRANSPO IB6866 CARGO 332889
13427010	FEATURES	Ref. NO.
	A-Circuit Voltage Set Point 14.30V BSS_3 code22 Soft Start 20% LRC 3 Sec Self Exciting Function BSS Regulator	OEM NO F00M145322 TRANSPO IB5290 MOBILETRON VR-B322
13427300	FEATURES	Ref. NO.
	A-Circuit Voltage Set Point 14.60V Soft Start 18% LRC 5 sec Field Shorted Circuit Protection Under Voltage Indication Over Voltage Indication L Terminal Drives Choke DFM function Self Exciting Function	OEM NO F00M 145279 F00M 145369 F00M A45211 TRANSPO IB5369 MOBILETRON VR-B369 LESTER 11081 11082 13801 13998






13429500	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 28.30V Soft Start 18% Field Shorted Circuit Protection IG Open Indication Under Voltage Indication Over Voltage Indication DFM Function	OEM NO F00MA45228 F00M145207 F00M145347 0124325008 0124325010 0124515041 TRANSPO IB347 MOBILETRON VR-B267 LESTER 21346 22815
13429800	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 28.40V Soft Start 12.5% LRC 2.5 sec Field Shorted Circuit Protection Under/Over Voltage Indication	OEM NO F00MA45245
1342AC00	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 28.20V Soft Start 12.5% Field Lamp Shorted Circuit Protection Under/Over Voltage Indication L Terminal Drive Choke Self Exciting Function	OEM NO 0272221006 606201 0124655297
1342AD00	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 14.50V Soft Start 12.5% Field Lamp Shorted Circuit Protection Under/Over Voltage Indication L Terminal Drive Choke Self Exciting Function	OEM NO 0272221005 0124625103
1342AH00	FEATURES	Ref. NO.
	A-Circuit Voltage Set Point 14.60V Soft Start 18% LRC 2.5 Sec Field Lamp Shorted Circuit Protection Under/Over Voltage Indication DFM Function	OEM NO 124525017 TRANSPO IB226 MOBILETRON VR-B372 LESTER 11043 11184 11186 11187 11255 11279 13804






1342AQ00	FEATURES	Ref. NO.
 X BSS E P B+ F	A-Circuit Voltage Set Point 13.8V Soft Star 25% LRC 3 Sec Self Exciting Function BSS_3 ID=4 BSS Regulator	OEM NO TRANSPO F00M144193 IB321
1342AR00	FEATURES	Ref. NO.
 CM LIN NC S S1 E P B+ F E	B-Circuit Default Regulation Set Voltage 28.30V Soft Start 25% Self Excitator Function LIN regulator LIN BUS LIN 2.1 Identifier for the Rx-Frame 41 identifier for the Tx-Frame1 10 Identifier for the Tx-Frame2 20	OEM NO 272222011
1342AZ00	FEATURES	Ref. NO.
 W L IG S DFM E P B+ F E	B-Circuit Voltage Set Point 28.40V Soft Star 12.5% Self Exciting Function Field Shorted Circuit Protection Under/Over Voltage Indication DFM Function	OEM NO 272222004
1342B400	FEATURES	Ref. NO.
 E P B+ F E	B-Circuit Voltage Set Point 28.40V LRC 2.5 Sec Soft Start 12.5% Self Exciting Function Field Shorted Circuit Protection Under/Over Voltage Indication DFM Function	OEM NO F00MA45247 0.124.655.102
1342BV00	FEATURES	Ref. NO.
 W L IG S FR E P B+ F E	B-Circuit Voltage Set Point 28.40V Soft Start 12.5% Field Shorted Circuit Protection Under Voltage Indication Over Voltage Indication L Terminal Drive Choke DFM Function	OEM NO F00MA45250






1342DX10	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 28.40V Soft Start 12.5% Field Shorted Circuit Protection Under Voltage Indication Over Voltage Indication L Terminal Drives DFM Function	OEM NO LESTER 1861902 1861938 20348
1342FV00	FEATURES	Ref. NO.
	A-Circuit Voltage Set Point 28.35V Soft Start 18% LRC 2.5s Self Exciting Function Field Shorted Circuit Protection Under Voltage Indication Over Voltage Indication L Terminal Drives	OEM NO DHA03
1342G000	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 28.30 V Soft Start 12.5 % LRC 2.5 sec Field Shorted Circuit Protection Self start function Under Voltage Indication Over Voltage Indication L Terminal Drives Choke	
1342GA00	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 28.3V Soft Start 25% Self Exciting Function LIN Regulator: 12V LIN BUS LIN 2.1	OEM NO LESTER 272222012 21561 21587
13430210	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 14.3V Soft Start 20% LRC 3 Sec Self Exciting Function BSS-3 ID 20	OEM NO F00M145278 0124525080 1802






13430220	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 14.3V Soft Start 25% LRC 3 Sec Self Exciting Function LIN1.3 ID 16	OEM NO F00MA45301 OE发电机 Bosch:0124425077
13430230	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 14.3V Soft Start 12.5% LRC 3 Sec Self Exciting Function LIN1.3 ID 73	OEM NO FG15T036
13430330	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 14.30V Soft Start 12.5% LRC 3 Sec Self Exciting Function LIN1 Class 03 LIN Regulator	OEM NO F00M145885 F00M144157 F00M145309 F00M145377 TRANSPO IB885 MOBILETRON VR-B885 LESTER 11215
13430500	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 14.30V Soft Start 25% LRC 3 sec Self Exciting Function LIN Regulator	OEM NO F00M 144197 F00M 144151 TRANSPO IB6179 IB6197 MOBILETRON VR-B4199
13445400	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 14.30V Soft Start 25% LRC 3 Sec Self Exciting Function LIN Regulator	OEM NO 0272220815 F000BL0732






13445410	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 14.30V Soft Start 12.5% LRC 3 Sec Self Exciting Function LIN Regulator	OEM NO 0272220854 06J903023G 04C903023L F000BL080306S F000BL08F201S
13445420	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 14.30V Soft Start 25% LRC 3 Sec Self Exciting Function LIN1 Class 03 LIN Regulator	OEM NO 272220894
13445430	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 14.30V Soft Start 25% LRC 3 Sec Self Exciting Function LIN1 Class 03 LIN Regulator	OEM NO 0272220809 0272220839 0125711030 0125711055 0125812009 MOBILETRON VR-B839
13445440	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 14.30V Soft Start 25% LRC 3 Sec Self Exciting Function LIN2 Class 08 LIN Regulator	OEM NO 0272220807 0125711124 0125711125 0125711127 0125711129 MOBILETRON VR-B807
13445450	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 14.30V Soft Start 25% Self Exciting Function LIN Regulator ID 16 Class 2	OEM NO 0272220835 0125811054 MOBILETRON VR-B835






13445460	FEATURES	Ref. NO.
 	B-Circuit Voltage Set Point 14.30V Soft Start 25% Self Exciting Function LIN Regulator ID 32 Class 4	OEM NO 272220843 MOBILETRON VR-B843
13445470	FEATURES	Ref. NO.
 	B-Circuit Voltage Set Point 14.30V Soft Start 25% Self Exciting Function LIN Regulator ID 40 Class 5	OEM NO 0272220855 0125811028 0125811033 0125811035 MOBILETRON VR-B855
13445490	FEATURES	Ref. NO.
 	B-Circuit Voltage Set Point 14.30V Soft Start 25% Self Exciting Function LIN Regulator ID 80 Class 10	OEM NO 0272220822
13445700	FEATURES	Ref. NO.
 	B-Circuit Voltage Set Point 14.10V Soft Start 25% Self Exciting Function LIN Regulator ID 88 Class 11	OEM NO 0272220856
13446000	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 13.80V Soft Start 12% Self Exciting Function LIN Regulator ID 209 Class 26	OEM NO 23100-3TS3B-C106




13448700	FEATURES	Ref. NO.
 Diagram of LIN regulator 13448700 showing terminals: LIN, E, P, F, E, B+.	B-Circuit Voltage Set Point 14.00V Soft Start 25% Self Exciting Function LIN Regulator ID 24 Class 3	OEM NO 0272220827 F000BL0825 F000BL0890 MOBILETRON VR-B827
13448710	FEATURES	Ref. NO.
 Diagram of LIN regulator 13448710 showing terminals: LIN, E, P, F, E, B+.	B-Circuit Voltage Set Point 13.80V Soft Start 25% Self Exciting Function LIN Regulator ID 88 Class 11	OEM NO 272220810 TRANSPO IB840 MOBILETRON VR-B840 LESTER 20611 20641
13448740	FEATURES	Ref. NO.
 Diagram of LIN regulator 13448740 showing terminals: LIN, E, P, F, E, B+.	B-Circuit Voltage Set Point 14.30V Soft Start 25% Self Exciting Function LIN Regulator ID 32 Class 4	OEM NO 0272220901
13448760	FEATURES	Ref. NO.
 Diagram of LIN regulator 13448760 showing terminals: LIN, E, P, F, E, B+.	B-Circuit Voltage Set Point 14.30V Soft Start 25% Self Exciting Function LIN Regulator ID 48 Class 6	OEM NO F000BL0890 TRANSPO IB827
1344AA00	FEATURES	Ref. NO.
 Diagram of LIN regulator 1344AA00 showing terminals: L, E, P, B+, X.	B-Circuit Voltage Set Point 28.20V Soft Start 12.5% Field Shorted Circuit Protection Under/Over Voltage Indication L Terminal Drive Choke	OEM NO 272220742

1344AD00	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 14.30V Soft Start 25% LRC 3 sec Self Exciting Function BSS_3 ID=7 BSS Regulator	OEM NO F00M346135 TRANSPO IB6135 MOBILETRON VR-B135 LESTER 23561
1344AM00	FEATURES	Ref. NO.
	B-Circuit RVC=0 V set=13.80V RC=75% V set=14.6V Soft Start 18.75% LRC 2.5 sec DFM function RVC Regulator	OEM NO 0272220776 F000BL07T1 F000BL08D1
1344AN00	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 13.70V Soft Start 25% Self Exciting Function LIN Regulator ID 88 Class 11	OEM NO 0272220867 0986082330 0125711005 0125711046 0125711103 TRANSPO IB867 LESTER 11914 20035 20251 20786 21462 CARGO 333850
1344AN10	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 14.10V Soft Start 25% Self Exciting Function LIN Regulator ID 88 Class 11	OEM NO 272220828 TRANSPO IB828 LESTER 20742 20743 21091 24145
1344AU00	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 13.80V Soft Start 12% Self Exciting Function LIN Regulator ID 64 Class 8	OEM NO 272220890

1344AU10	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 14.30V Soft Start 15% Self Exciting Function LIN Regulator ID 120 Class 15	OEM NO 272220879
1344AU20	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 14.00V Soft Start 25% Self Exciting Function LIN Regulator ID 24 Class 3	OEM NO 0272220818 012318614277 0272220776 F000BL07T1 F000BL08D1 MOBILETRON VR-B0818
1344AZ00	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 14.50V Soft Start 31% LRC 5 Sec C Terminal Regulator Field Shorted Circuit Protection Self Exciting Function	OEM NO 272220844
1344AZ10	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 14.50V Soft Start 31% LRC 5 Sec C Terminal Regulator Field Shorted Circuit Protection Self Exciting Function	OEM NO 0272220823 0125813002 0125813009 TRANSPON IB823
1344AZ20	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 13.80V Soft Start 25% Self Exciting Function LIN Regulator ID 88 Class 11	OEM NO 0272220921

1344BL00	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 14.30V Soft Start 25% Self Exciting Function LIN Regulator ID 24 Class 3	OEM NO 0272220757 MOBILETRON VR-B0757
1344BU00	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 14.50V Soft Start 31% LRC 5 Sec C Terminal Regulator Field Shorted Circuit Protection Self Exciting Function	OEM NO 272220739
1344C500	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 14.30V Soft Start 25% Self Exciting Function LIN Regulator ID 24 Class 3	OEM NO F00MBL04L6 F000BL04L7 0272220882 TRANSPO ISG5200 MOBILETRON VR-B882 LESTER 11975
13451000	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 14.50V Soft Start 19% LRC 9 sec Field Lamp Shorted Circuit Protection Under Voltage Indication Over Voltage Indication L Terminal Drives Choke DFM Function	OEM NO F00M346137 F00M346028 F00M346054 F00M346096 TRANSPO IB6137 MOBILETRON VR-B137 LESTER 11221 11586 11714 CARGO 330805
13451010	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 14.50V Soft Start 12.5% LRC 10 sec Field Lamp Shorted Circuit Protection Under Voltage Indication Over Voltage Indication L Terminal Drives Choke DFM Function	OEM NO F00M.485.210

13451700	FEATURES	Ref. NO.
 LIN X 	B-Circuit Voltage Set Point 13.80V Soft Start 12% LRC 3 sec Self Exciting Function LIN1 Class 11 LIN Regulator	OEM NO F00M346097 F00M346056 F00M346019
13451800	FEATURES	Ref. NO.
 LIN X 	B-Circuit Voltage Set Point 14.30V Soft Start 12% LRC 3 sec Self Exciting Function LIN1 Class 07 LIN Regulator	OEM NO F00M346037
13451810	FEATURES	Ref. NO.
 LIN X 	B-Circuit Voltage Set Point 14.30V Soft Start 12% LRC 3 sec Self Exciting Function LIN1 Class 06 LIN Regulator	OEM NO F00M346020
13451830	FEATURES	Ref. NO.
 LIN X 	B-Circuit Voltage Set Point 14.30V Soft Start 12.5% LRC 3 Sec Self Exciting Function LIN1 Class 15 LIN Regulator	OEM NO F00M346112 0125813002 0125813009 TRANSPO IB818 MOBILETRON VR-B112
13451900	FEATURES	Ref. NO.
 LIN X 	B-Circuit Voltage Set Point 13.80V Soft Start 12% LRC 3 Sec Self Exciting Function LIN1 Class 11 LIN Regulator	OEM NO F00M346023 F00M346057 F00M346074 F00M346098 F00M346165 TRANSPO IB6165 MOBILETRON VR-B057

13452000	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 14.30V Soft Start 12% LRC 3 Sec Self Exciting Function LIN1.3 Class 5 LIN Regulator	OEM NO F00M346139 TRANSPO IB6139 MOBILETRON VR-B092
13452010	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 14.30V Soft Start 12% LRC 3 Sec Self Exciting Function LIN1 Class 08 LIN Regulator	OEM NO F00M346152 F00M346163 0125711090 MOBILETRON VR-B6163
13452100	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 14.30V Soft Start 25% Self Exciting Function BSS_3 ID=6 BSS Regulator	OEM NO F00M346019 F00M346024 F00M346033 F00M346089 TRANSPO IB6024 MOBILETRON VR-B033 LESTER 11301 11302 11362 20446
13452200	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 14.30V Soft Start 25% Self Exciting Function BSS_3 ID=1 BSS Regulator	OEM NO F00M346051 TRANSPO IB6070 LESTER 11470
13452300	FEATURES	Ref. NO.
	B-Circuit Voltage Set Point 14.50V Soft Start 12.5% LRC 9 sec Field Lamp Shorted Circuit Protection Under Voltage Indication Over Voltage Indication L Terminal Drives Choke DFM Function same-phase	OEM NO F00M346026 TRANSPO IB6026 LESTER 23925 23977 23978

www.yunyi-china.net

